

# BBAutoComplete 1.1.1 Manual

Michael Tsai

March 18, 2002

## 1 Introduction

BBAutoComplete adds word-level auto-completion to BBEdit on Mac OS X. You type the start of a word, press a key, and BBAutoComplete types the letters to complete the word. If BBAutoComplete guessed wrong, you can keep pressing the key to cycle through other possible completions, which are gathered from the open BBEdit windows. BBAutoComplete is probably most useful for programmers, who need to remember and type long variable and method names, but I've also used it for normal writing. It's useful any time you need to type long words quickly and accurately.

## 2 Requirements and Installation

BBAutoComplete has been developed and tested on Mac OS X 10.1.3. I do not have the resources to test it on older systems, although I suspect it will work fine on Mac OS X 10.0 or later. If you use Mac OS 9 or earlier, you might instead try the Word Completion BBEdit plug-in from FL Package<sup>1</sup>.

BBAutoComplete is designed to work with BBEdit<sup>2</sup> from Bare Bones software. I recommend the latest version (6.5.2 as of this writing), but any non-Lite version after 6.0 should work. Note that BBAutoComplete does not *require* BBEdit; if you know AppleScript, you can hook it up to other scriptable text editors<sup>3</sup>.

To install, copy the BBAutoComplete application to your hard disk, e.g. into `/Applications`. The `Put in 'BBEdit Support'` folder contains AppleScripts that let BBEdit talk to BBAutoComplete. The names of the folders tell you where to install the scripts.

There's no need to copy this manual to your hard disk. A copy of it is built-into BBAutoComplete, and you can access it by choosing `BBAutoComplete Help` from the `Help` menu.

---

<sup>1</sup><http://hyperarchive.lcs.mit.edu/HyperArchive/Archive/text/bbe/fl-package-11.hqx>

<sup>2</sup><http://www.barebones.com/products/bbedit.html>

<sup>3</sup>If you do, please send me your glue script, so that I can include it with the BBAutoComplete distribution.

## 3 Using BBAutoComplete

To use BBAutoComplete, type the first few letters of a long word in BBEdit. Then invoke the BBAutoComplete AppleScript from BBEdit's **Scripts** menu, or use a keyboard shortcut (**Command-/** by default). BBAutoComplete will insert the letters to complete the word. If you aren't happy with the completion BBAutoComplete chose, invoke the BBAutoComplete AppleScript again. You can do this repeatedly to cycle through possible completions.

The order in which BBAutoComplete suggests completions is deterministic. With a little practice you'll be able to predict what BBAutoComplete will suggest, and how many completions you'll need to cycle through to get the one you want. Here are the rules:

- First, BBAutoComplete looks backwards, from the current insertion point to the beginning of the document. That is, the first completion it suggests is the last word you typed (that matches).
- Next, BBAutoComplete looks forwards, from the current insertion point to the end of the document.
- Finally, it looks in the other BBEdit windows, front to back, in layer order.
- Completions are case-sensitive. Letters and numbers are considered word characters; whitespace, punctuation, and other symbols are not. You can add more word characters in the Preferences window.

Note that this auto-completion algorithm is the same as `dabbrev-expand (M-/)` in GNU Emacs<sup>4</sup>, except for being case-sensitive. If you don't know what Emacs is, stick with BBEdit; if you do, well, that explains why the auto-completion works differently than, say, Project-Builder's.

### 3.1 Changing the Trigger Key

Choose **Scripts** from the **Palettes** submenu of BBEdit's **Window** menu. Click on BBAutoComplete in the palette that opens, and then click the **Set Key...** button.

### 3.2 Ignoring Background Windows

By default, BBAutoComplete looks for completions in all of BBEdit's open text windows. However, background windows containing lots of text will slow down BBAutoComplete. To make BBAutoComplete look for completions in only a single window, use the included BBAutoComplete 1 script instead of the BBAutoComplete script.

---

<sup>4</sup><http://www.gnu.org/software/emacs/emacs.html>

## 4 Contact Information

The BBAutoComplete Web site is located at <http://www.c-command.com/bbautocomplete/>. Questions about BBAutoComplete may be sent to <mailto:support@c-command.com>. I'm always looking to improve BBAutoComplete, so please feel free to send any feature requests to that address.

## 5 Notes and Limitations

- At this time, BBAutoComplete does not support completion of words with accented characters.

## 6 Version History

### 1.1.1—March 18, 2002

- Removed profiling code, so no longer creates `gmon.out` files at root of the boot volume.

### 1.1—March 16, 2002

- Parsing words is between 20 and 70 times faster than in 1.0.1 (for an 80KB window), with greater improvements on low-memory systems.
- The new word cache further speeds processing.
- BBAutoComplete can optionally ignore background BBEdit windows.
- Includes an `Open BBAutoComplete` script for BBEdit's `Startup Items` folder.

### 1.0.1—February 27, 2002

- The Quit AppleScript is saved as an application now—so it works.

### 1.0—February 26, 2002

- First public release.

## 7 Legal Stuff

BBAutoComplete is freeware, however BBAutoComplete and this manual are copyright © 2002 Michael Tsai, <mailto:mjt@c-command.com>. All rights reserved.

Please distribute the unmodified `BBAutoComplete-1.1.1.dmg` file on the Web, LANs, compilation CD-ROMs, etc. Please do not charge for it (beyond a reasonable cost for media), or distribute the contents of the image file in isolation.

This software is provided by the copyright holders and contributors “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the regents or contributors be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.

BBAutoComplete is a trademark of Michael Tsai. BBEdit is a trademark of Bare Bones Software, Inc. Mac is a registered trademark of Apple Computer. All other products mentioned are trademarks of their respective owners.